

PATIENT INFORMATION LEAFLET
tisuderma 2.5%

SKIN CREAM WITH ANTIBACTERIAL AND ANTIINFLAMMATORY ACTION

COMPOSITION PER 1 g

Hydrocortisone acetate.....	25.0 mg
Neomycin.....	3.5 mg

THERAPEUTIC PROPERTIES

Hydrocortisone acetate is the corticosteroid of choice for topical treatments, and offers important antiallergic and antiinflammatory action.

Neomycin is mainly characterized by its broad spectrum of action and antibacterial efficacy in dermatological infectious processes.

The excipient has been developed to avoid sensitization. It is easy to apply, odorless, does not stain, and can easily be eliminated.

INDICATIONS

Eczemas, atopic dermatitis, seborrheic dermatitis, nummular eczema, microbial eczema, contact dermatitis, anal and vulvar pruritus, pyodermatitis (furunculosis, impetigo, folliculitis), ulcerations and fissures.

POSODOLOGY

Apply a small amount of cream one to three times a day, extending a thin layer over the treatment surface.

CONTRAINDICATIONS – PRECAUTIONS

Long term use, mainly in occlusive treatments and over extensive areas of skin, is not recommended.

Athletes are advised that this medication contains an ingredient that can yield positive antidoping tests.

INCOMPATIBILITIES – INTERACTIONS

None described.

SIDE EFFECTS

In general, no side effects are to be expected, except in patients hypersensitive to some ingredient of the product.

OVERDOSAGE AND ITS TREATMENT

In case of overdose or accidental ingestion, go to a medical center or consult the toxicological information service.

HOW TO STORE TISUDERMA 2.5 %

Keep this medicine out of the sight and reach of children.

Do not store above 25 °C.

PRESENTATION

Tube containing 5 grams of cream. • Tube containing 20 grams of cream.

MARKETING AUTHORIZATION HOLDER

LABORATORIOS CINFA, S.A.

C/ Olaz-Chipi, 10 – Polígono Industrial Areta

31620 Huarte – Pamplona (Navarra), Spain

MANUFACTURER

BOHM, S.A.

Molinaseca, 23 Pol.IND Cobo Calleja

Fuenlabrada- 28947-España

KEEP ALL MEDICATION OUT OF THE REACH OF CHILDREN